




perfekto wood

PARQUET BOARDS


MAKE YOUR HOME PERFECT
WITH LUXURY WOOD FLOORS

2 layer boards,
chevron and herringbone collection

Perfekto wood 2 layer boards, chevron and herringbone CLASSIC collection




Spring honey




Project brown




Brown sugar




Winter forest




Silver grey



Bisquit



Autumn way



Grey shadow



Lava



Black ground


Perfekto wood 2 layer boards, chevron and herringbone SMOKED collection



Bolla



Alevard



Assoluto




Bronzo



Cappuccino




Lapis




Momento


Perfekto wood 2 layer boards, chevron and herringbone SMOKED collection



River stone



Murray



Nastro




Oltre



Roden




Verso



Vierzon




Gradings



Select

Occasional healthy knots of up to 9 mm in diameter. Sapwood of up to 10 mm on one side. Changes in the structure and colour of the wood. 5% allowable limit for defects.



Classic

Healthy knots of up to 35 mm in diameter, changes in the structure and colour of the wood, black cracked (hollow) filled knots of up to 25 mm. Sapwood of up to 10 mm on one side. Incompleteness of defect coating: up to 5 percent. 5% allowable limit for defects.




Rustic

Healthy knots of up to 65 mm in diameter, changes in the structure of the wood. Filled knots up to 35 mm. Rather prominent changes in the colour. Core of up to 600 mm in length. Sapwood of up to 15 mm on one side. Incompleteness of defect coating: up to 5 percent. 5% allowable limit for defects.

Surface




Sanded



Sawn marks



Brushed



UV oil

Finishing

12mm Construction


Top layer 3 mm oak

2 layer (12mm)

Backing 9 mm birch plywood




Dimensions




Chevron 45 degrees

12x140x520 and 12x140x820



Chevron 60 degrees

12x140x550 and 12x140x850



Herringbone

12x140x595 and 12x140x895



12x140x1200-1800



12x180x1200-2400

12mm HDF Construction


Top layer 3 mm oak

2 layer (12mm)

Backing 9 mm HDF



Dimensions



Herringbone
12x105x525



12x105x1050

15mm Construction


Top layer 3 mm oak

2 layer (15 mm)

Backing 12 mm birch plywood




Dimensions




Chevron 45 degrees

15x140x660



Chevron 60 degrees

15x140x690



Herringbone

15x140x720




15x180x1200-1800




15x220x1200-2400



Herringbone Grey shadow
brushed select
12x140x595 mm



Chevron 45 degrees
Winter forest select
12x140x520 mm




Chevron 60 degrees
Winter forest
12x140x550 mm



Boards
Bisquit Rustic
15x180x1200-2400 mm



Chevron 45 degrees
Spring honey select
15x140x660 mm



Company Perfekto wood manufactures wood parquet boards of different format: traditional boards, chevron and herringbone for almost 20 years. We invest in production machinery, product creation and people knowledge constantly.

WE USE:

- Highest-quality raw material from Baltic states: oak wood and birch plywood
 - Modern production equipment and production process
 - Highest qualification of employees in production and sales office
 - Excellence in Service and Wood Knowledge of 20 years
-



perfekto wood

PARQUET BOARDS

Manufaktūry str. 20
LT-11342 Vilnius, Lithuania
Mob. +370 655 33 736
info@perfektowood.lt
www.perfektowood.lt

